



# Gas Tungsten Arc Welding

## Handbook

William H. Minnick

# Contents

## CHAPTER

<b>1</b>	<b><i>Gas Tungsten Arc Welding Process</i></b>	<b>7</b>
<b>2</b>	<b><i>GTAW Process Operation and Safety</i></b>	<b>15</b>
<b>3</b>	<b><i>Equipment</i></b>	<b>27</b>
<b>4</b>	<b><i>Auxiliary Equipment and Systems</i></b>	<b>43</b>
<b>5</b>	<b><i>Shielding Gases and Regulation Equipment</i></b>	<b>73</b>
<b>6</b>	<b><i>Filler Materials</i></b>	<b>81</b>
<b>7</b>	<b><i>Weld Joints and Weld Types</i></b>	<b>87</b>
<b>8</b>	<b><i>Tooling</i></b>	<b>101</b>
<b>9</b>	<b><i>Equipment Setup</i></b>	<b>113</b>
<b>10</b>	<b><i>Manual Welding Techniques</i></b>	<b>117</b>
<b>11</b>	<b><i>Procedure for Manual Welding Aluminum</i></b>	<b>133</b>
<b>12</b>	<b><i>Procedure for Manual Welding Magnesium</i></b>	<b>147</b>
<b>13</b>	<b><i>Procedure for Manual Welding Copper and Copper Alloys</i></b>	<b>153</b>
<b>14</b>	<b><i>Procedure for Manual Welding Steel and Steel Alloys</i></b>	<b>161</b>
<b>15</b>	<b><i>Procedure for Manual Welding Stainless Steel</i></b>	<b>167</b>
<b>16</b>	<b><i>Procedure for Manual Welding Nickel, Nickel Alloys, and Cobalt Alloys</i></b>	<b>177</b>
<b>17</b>	<b><i>Procedure for Manual Welding Titanium</i></b>	<b>183</b>
<b>18</b>	<b><i>Procedure for Manual Welding Pipe</i></b>	<b>189</b>
<b>19</b>	<b><i>Procedure for Manual Welding Dissimilar Metals</i></b>	<b>203</b>
<b>20</b>	<b><i>Semiautomatic Welding</i></b>	<b>213</b>
<b>21</b>	<b><i>Automatic Welding</i></b>	<b>227</b>
<b>22</b>	<b><i>Quality Control / Inspection</i></b>	<b>231</b>
<b>23</b>	<b><i>Weld Repair</i></b>	<b>241</b>
<b>24</b>	<b><i>Qualification and Certification</i></b>	<b>247</b>
<b>25</b>	<b><i>Estimating Cost</i></b>	<b>251</b>
	<b><i>Reference Section</i></b>	<b>255</b>
	<b><i>Glossary of Welding Terms</i></b>	<b>268</b>
	<b><i>Index</i></b>	<b>279</b>

# Index

## A

- ac/dc welding machine, 31–32**
- air carbon arc gouging, 206**
- air-cooled torch, 60**
- alternating current (ac), 17**
- alternating current/direct current power supplies, 31–32**
- alternating current high frequency (ACHF),**
  - square wave, 18–19
  - transformer, 17–18
  - welding aluminum, 138–140
  - welding magnesium, 150–151
- alternating current power supplies, 29–30**
- aluminum**
  - ACHF welding, 138–140
  - base materials, 133–134
  - castings, 134
  - classification, 134
  - DCEN welding, 140–143
  - filler materials, 134–135
  - joint preparation, 135–138
  - manual welding, 133–146
  - preheating, 138
  - preweld cleaning, 136–137
  - tack welds, 138
  - tempers, 134
  - weld backing, 137
  - welding procedures, 144–146
  - wrought material identification, 133
- American Welding Society (AWS), 7**
  - symbols, 91–93
  - terms, 91
- amperage**
  - controls, 38–39
  - ranges, 38
- anode, 21**
- arc**
  - parts, 21
  - starting, 19–20, 69
- arc wandering, 69–70**
- argon, 21, 73**
- argon-helium mixtures, 73–74**
- argon-hydrogen mixtures, 74**
- arrow, 91**
- atmosphere chamber, 110**
- austenitic stainless steel, 167–168**
- automatic mode, 8**
- automatic voltage control (AVC)**
  - AVC systems, 53
  - AVC as accessory, 218–219
- automatic welding, 227–229**
  - equipment, 227–228
  - preprogram test, 228–229
  - system, 11
  - weld schedule maintenance, 229
- auxiliary controls, 39**
- auxiliary equipment and systems, 43–71**
  - automatic voltage control system, 53
  - auxiliary high-frequency generator, 43–44
  - cold wire feeder, 48–49
  - gas tungsten arc spot welding systems, 53–55
  - hot wire feeder, 49–51
  - oscillator, 51–52
  - pipe-to-pipe welding, 56–58
  - pulsers, 44–46
  - remote controls, 47–48
  - slope controllers, 46
  - timers, 46–47
  - torches, 58–67
  - tube-to-tube sheet welding, 56
  - tube-to-tube welding, 55
  - tungsten electrodes, 67–70

auxiliary high-frequency generator, 43–44  
 auxiliary tooling, 108–111

## B

---

backing bar, 105–106  
 basic weld symbols, 91  
 beads, 125  
 bend test, 235  
 bridging fillet weld, 94  
 burn through, 118, 122  
 butt joints and welds, 87, 93–94  
 butt type joint, 190  
   preparation, 192–193  
 butted materials, 203  
 buttered materials, 203  
 buttering, 90

## C

---

carbon steels, 161  
 casting the penetration, 105  
 castings  
   aluminum, 134  
   copper and copper alloys, 158  
   stainless steel, 167  
 cathode, 21  
 Certificate of Conformance, 82  
 certification, 248  
   estimating cost, 252  
 certified chemical analysis, 82  
 chill bars, 173  
 clad material, 204  
 cladding, 90  
 codes, 247  
 cold laps, 242–243  
 cold rolled steel, 161  
 cold wire feeder, 48–49, 219  
 collet, 61  
 combination assembly and welding tooling, 102  
 commercial flux, 173  
 concave root surface, 118, 122  
 concave weld, 118, 121  
 constant current power supplies, 29  
 consumables, 251–252  
 contactor, 16  
 contamination, 20, 68, 70  
   filler material, 85–86  
   titanium, 185, 188  
 convex crown, 118  
 convex weld, 121  
 copper and copper alloys  
   base and filler materials, 153  
   castings, 158

DCEN welding, 156–157  
 joint preparation, 153, 155–156  
 manual welding, 153–159  
 preheating, 156  
 tack welds, 156  
 weld backing, 155  
   weld joint design and fit-up, 153  
 corner joints and welds, 88, 95  
 corrosion test, 239  
 costs, 251–253  
 cracks, 118, 122  
   repair, 242  
 crater, 118, 121  
 cross section test, 238  
 crown weld, 201  
 current, 17–19  
   and arc voltage, 28–29  
 current flow, 17

## D

---

dams, 194  
 dc component, 18  
 direct current electrode negative (DCEN) welding  
   aluminum, 140–143  
   copper and copper alloys, 156–157  
   defined, 17, 19  
   magnesium, 151  
   nickel, nickel alloys, and cobalt alloys, 181  
   stainless steel, 174–175  
   steel, 164–165  
   titanium, 187  
 direct current electrode positive (DCEP) welding  
   defined, 17, 19  
   magnesium, 152  
 design considerations, 91, 93–98  
 destructive tests  
   bend test, 235  
   cross section test, 238  
   nick-break test, 238  
   notch-toughness test, 236–237  
   tensile test, 235–236  
 Dewars system, safety rules, 24  
 dilution, 97  
 dimensional repairs, 241  
 direct current power supplies, 30–31  
 direct current reverse polarity (DCRP). *See* direct current electrode positive (DCEP) welding.  
 direct current straight polarity (DCSP). *See* direct current electrode negative (DCEN) welding.  
 dissimilar metals  
   butt joints, 204–205  
   clad material joints, 205  
   filler materials, 205–206

heat input, 208–209  
 joint  
   cleaning, 208  
   fit-up, 208  
   preparation, 206  
 manual welding, 203–212  
 material combinations/applications, 203–205  
 overlay type joints, 205  
 welding technique, 211

**double welds, 88**

**droopers, 29**

**dross, 136**

**duty cycle, 16, 28, 38, 59**

## E

---

**edge joints and welds, 88, 95, 97**

**electrodes. See tungsten electrodes.**

**ELI materials, 184**

**emissivity, 69**

**end cap, 61**

**engine driven welding generator, 36–37**

**equipment setup**

  alternating current GTAW, 115–116

  DCEN, 115

  DCEP, 116

  job and equipment considerations, 113–114

**estimating cost, 251–253**

**external tooling, 102**

## F

---

**ferrite test, 239**

**ferritic stainless steel, 168**

**filler material**

  aluminum, 134–135

  copper and copper alloys, 153

  dissimilar metals, 205–206

  forms, 82–84

  magnesium, 148

  manufacturing, 81–84

  nickel, nickel alloys, and cobalt alloys, 179

  specifications, 81–82

  stainless steel, 170

  steel and steel alloys, 162

  titanium, 183–184

  welding shop use, 84–86

**fillet welds, 120–122**

**finger bar, 106**

**fit-up (butt joint procedure), 196**

**flame cutting, 206**

**fusion welding, 15**

## G

---

**gas**

  inert, 21–24, 73–74

  shielding, 73–80

**gas analyzer, 78–79**

**gas-cooled torch, 60**

**gas lens, 61–62**

**gas nozzle, 61**

**gas tungsten arc spot welding system, 53–55**

**gas tungsten arc welding (GTAW)**

  advantages, 12

  applications, 11–12

**grain structures, 97–98**

**grinding, 70**

**groove weld**

  defects, 117–120

  internal defect repair, 244

## H

---

**hardness test, 238–239**

**hard tooling, 101**

**heat sink tooling, 102**

**helium, 21, 73**

**high-frequency arc stabilizer, 37**

**high-frequency start, 20**

**high-frequency voltage generator, 18**

**hold-down bar, 106**

**hot rolled steel, 161**

**hot wire feeder, 49–51**

**hourly flat rate cost, 253**

**hydrostatic test, 239**

## I

---

**icicles, 118**

**incomplete penetration, 243**

**inert gas, 73–74**

  mixing, 78

  safety, 23–24

  supply and regulation, 21–22

**in-process inspection, 252**

**inspection costs, 252**

**integral backing, 137, 172**

**interference fit, 95**

**internal defect repairs, 243–244**

**internal tooling, 102**

**interpass, 98**

**interstitials, 184**

**inverter power supplies, 32–33**

## J

---

**joggle-type joint, 89**

**L**

---

labor, 251  
 lack of fusion, 118, 120  
 lack of penetration, 120  
 lap joints and welds, 88, 94–95  
 lap type joint, 189  
   preparation, 191  
 lateral joint, 190  
   preparation, 191  
 lathe, 108–109  
 linear porosity, 118  
 longseam travel, 216  
 longseam weld, 213

**M**

---

macrotest, 238  
 magnesium  
   ACHF welding, 150–151  
   base materials, 147  
   DCEN welding, 151  
   DCEP welding, 152  
   filler materials, 148  
   joint preparation, 148–150  
   manual welding, 147–152  
   postweld treatment, 151  
   preheating, 149  
   tack welds, 149–150  
   weld joint design, 148  
   wrought material identification, 147  
 magnetic particle test, 232–234  
 manifold, 75–77, 105  
 manipulator, 108, 219  
 manual mode, 8  
 manual welding  
   aluminum, 133–146  
   copper and copper alloys, 153–159  
   dissimilar metals, 203–212  
   magnesium, 147–152  
   nickel, nickel alloys, and cobalt alloys, 177–181  
   pipe, 189–201  
   stainless steel, 167–176  
   steel and steel alloys, 161–166  
   system, 8–10  
   techniques, 117–131  
     fillet welds, 120–122  
     groove welds, 117–120  
     preweld cleaning, 122–123  
     torch angles and bead placement, 123  
     types of beads/passes, 125  
     welding procedures, 126–131  
   titanium, 183–188

martensitic stainless steel, 168  
 material processing, estimating cost, 252  
 melt-through, 122  
 microhardness test, 238  
 microtest, 238  
 mismatch, 94  
 multi-operator power supplies, 33–36

**N**

---

National Electrical Manufacturer's Association  
 (NEMA), 27  
 nick-break test, 238  
 nickel, nickel alloys, and cobalt alloys  
   base materials, 177  
   filler materials, 179  
   manual welding, 177–181  
   preparation, 179–181  
   problem areas, 177–178  
   procedure, 181  
   tack welds, 181  
   weld backing, 180–181  
 nitrogen, 74  
 nondestructive tests  
   estimating costs, 252  
   magnetic particle test, 232–234  
   penetrant test, 232  
   radiographic test, 234–235  
   ultrasonic test, 234  
   visual test, 231–232  
 notch-toughness  
   test, 236–237  
   titanium, 185

**O**

---

open circuit voltage (OCV), 28, 38  
 oscillator, 51–52, 220  
 overhead, 253  
 overlaid materials, 204  
 overlap, 118, 121  
 oxygen, 23

**P**

---

parameters, 16  
 penetrameters, 235  
 penetrant test, 232  
 pilot arc start, 20  
 pilot arc system, 54  
 pipe  
   manual welding, 189–201  
   joint designs, 189–190

joint preparation, 190–193  
 purging, 193–195  
 root passes, 199–201  
 root purging, 195  
 tack welding, 196–197  
 welding techniques, 198–201  
**pipe-to-pipe welding, 56–58**  
**pipe weld joint, 90**  
**plasma, 21**  
**plasma arc cutting, 206**  
**point deterioration, 69**  
**porosity, 118**  
   repair, 242  
**positioner, 108–109**  
**Pots, 46–47**  
**power supplies, 16–17, 27–41**  
   ACHF, 138–140, 150–151  
   alternating current, 29–30  
   alternating current/direct current, 31–32  
   controls, 37–39  
   direct current, 30–31  
   installation, 39  
   inverter, 32–33  
   maintenance, 40  
   multi-operator, 33–36  
   NEMA guidelines, 27  
**precipitation hardening stainless steel, 168**  
**preheating, 98**  
   aluminum, 138  
   copper and copper alloys, 156  
   magnesium, 149  
   stainless steel, 174  
   steel and steel alloys, 164  
**preprogram test, 228–229**  
**pressure test, 238**  
**preweld cleaning, 122–123**  
   aluminum, 136–137  
   copper, 155  
   dissimilar metals, 208  
   magnesium, 149  
   nickel, nickel alloys, and cobalt alloys, 179–180  
   stainless steel, 171–172  
   steel, 162–163  
   titanium, 184–185  
**procedure qualification, 247–248**  
   estimating cost, 252  
**procedure specification, 247**  
**process operation, 15–16**  
**pulser, 44–46, 198, 220**  
**purging**  
   dams, 194  
   pipe, 193–195

---

**Q**


---

**qualification and certification, 247–250**  
**quality control/inspection, 231–240**  
   destructive tests, 235–239  
   inspection areas, 231  
   nondestructive tests, 231–235  
   weld integrity inspections, 238–239

---

**R**


---

**radiographic test, 234–235**  
**rectification, 18**  
**reference line, 91**  
**regulator/flowmeter, 77**  
**relief step design hold-down bar, 107**  
**remote controls, 47–48**  
**removable backing bar, 137, 173**  
**repair. See weld repair.**  
**reverse polarity (RP), 18**  
**robotic welding, 227–228**  
**root passes, 199–201**  
**root purging, 195**  
**rotational travel, 216–218**  
**rotational weld, 213**

---

**S**


---

**safety, 15, 22–25**  
   electrical current, 22–23  
   inert gases, 23–24  
   welding environment, 24–25  
**scratch or tap start, 19–20**  
**seamer, 108**  
**seam tracker, 110–111**  
**segmented finger, 106**  
**semiautomatic mode, 8**  
**semiautomatic welding, 10–11, 213–225**  
   accessories, 218–220  
   automatic voltage control (AVC), 218–219  
   cold wire feeder and manipulator, 219  
   hot wire feeder, 220  
   oscillator, 220  
   pulser, 220  
   timers and slopers, 220  
   equipment, 213–216  
   arc voltage control, 215  
   power supply, 215  
   travel control, 216  
   longseam, 10–11  
   materials, 213  
   problem areas, 224–225  
   rotational, 11

spot welding, 11  
 system, 10–11  
 weld  
   test, 220  
   travel, 216–218  
   types, 213  
 weld schedule, 220–224

**shearing, 206**

**shielding gas, 73–80**  
 distribution, 75–77  
 purity, 74  
 purity testing, 78–79  
 regulation, 77–79  
 storage, 74  
 supply, 74  
 types, 73–74

**shop aids, 101**

**slope controllers, 46**

**sloper, 220**

**socket type joint, 189**  
 preparation, 190–191

**solid-hold down bar, 106**

**special ferritic stainless steel, 167, 169**

**specification and testing organizations, 248–250**

**specifications, 247**

**spitting, 68, 150**

**spot welding, 11**

**square wave. *See* alternating current high frequency (ACHF).**

**stainless steel**  
 base materials, 167–170  
 carbide precipitation, 169  
 cracking, 169  
 DCEN welding, 174–175  
 distortion, 170  
 filler materials, 170  
 manual welding, 167–176  
 postweld heat treatment, 175–176  
 preheating, 174  
 preparation, 171–174  
 procedure, 175  
 tack welds, 174  
 types, 167–169  
 weld backing, 172–173  
 wrought material identification, 167

**steel and steel alloys**  
 base materials, 161–162  
 DCEN welding, 164–165  
 filler materials, 162  
 joint preparation, 162–164  
 manual welding, 161–166  
 postweld treatment, 165  
 preheating, 164

  preweld cleaning, 162–163  
   weld backing, 164

**steel, forms and shapes, 161–162**

**straight polarity (SP), 18**

**stringer beads, 125**

**surface defect repairs, 242–243**

**surfacing, 90**

**symbols, 91**

## T

---

**tack welding**  
 aluminum, 138  
 copper and copper alloys, 156  
 magnesium, 149–150  
 nickel, nickel alloys, and cobalt alloys, 181  
 pipe, 196–197  
 stainless steel, 174  
 titanium, 178

**tempering beads, 244**

**tensile test, 235–236**

**test tooling, 107–108**

**timer, 46–47, 220**

**titanium**  
 base material, 183  
 contamination, 185, 188  
 DCEN welding, 187  
 filler material, 183–184  
 manual welding, 183–188  
 postweld heat treatment, 188  
 preparation, 184–187  
 tack welds, 187  
 techniques, 187–188  
 weld shielding, 185–187

**T-joint, 190**  
 preparation, 191

**T-joints and welds, 87, 95**

**tooling, 101–112**  
 application and operation, 102–103  
 auxiliary, 108–111  
 backing bar, 105–106  
 design, 101  
 estimating cost, 252  
 for magnesium, 149  
 hold-down bar, 106  
 maintenance, 107  
 materials, 104  
 test tooling, 107–108  
 types of tools, 102

**tool steels, 161**

**torch, 22, 58–67**  
 cables, hoses, connectors, and valves, 62–63  
 gas-cooled, 60

gas lens, 61–62  
 installation, 63–67  
 maintenance, 63  
 water-cooled, 61  
**torch angles and bead placement, 123**  
**tube-to-tube sheet welding system, 56**  
**tube-to-tube weld, 90**  
**tube-to-tube welding system, 55**  
**tubing weld joint, 90**  
**tungsten electrodes**  
 color codes, 68  
 finish, 67–68  
 preparation, 68–70  
 sizes, tapering, and balling, 68  
 types, 67  
**tungsten inert gas welding (TIG), 7**  
**turbulence, 22**

---

**U**

**ultrasonic test, 234**  
**undercut, 118, 121**  
 repair, 242

---

**V**

**variables, 16**  
**variable voltage power supply, 29**  
**visual test, 231–232**  
**volt ampere curve, 28–29**

---

**W**

**“walking the cup”, 198**  
**wash beads, 125**  
**water-cooled torch, 61**  
**weld**  
 grain structures, 97–98  
 integrity inspections, 238–239

joint, 87  
 special designs and procedures, 98  
 test, 220  
 types, 87–90  
**weld backing**  
 aluminum, 137  
 copper, 155  
 nickel, 180–181  
 stainless steel, 172–173  
 steel, 164

**weld repair**  
 dimensional repairs, 241  
 estimating cost, 252–253  
 internal defect repairs, 243–244  
 postweld inspection, 244–255  
 preparation, 244  
 review, 245  
 surface defect repairs, 242–243  
 welding techniques, 244

**weld schedule, 220–224, 248**

**welding**

positions, 98  
 procedures, 113, 126–131  
 aluminum, 144–146  
 system  
 automatic, 11  
 components and accessories, 8  
 manual, 8–10  
 semiautomatic, 10–11  
 terms and symbols, 91–93  
 tooling, 126  
**weldment configurations, 89–90**  
**whiskers, 68–69**

---

**Y**

**Y-joint, 190**  
 preparation, 191