

PAUL A RUSSELL & E A STOKOE

5



REEDS MARINE ENGINEERING AND TECHNOLOGY

SHIP CONSTRUCTION

For Marine Engineers

BLOOMSBURY

5

REEDS MARINE ENGINEERING AND TECHNOLOGY

SHIP CONSTRUCTION FOR MARINE ENGINEERS

Revised by Paul A. Russell
E. A. Stokoe



ADLARD GOLES NAUTICAL

B L O O M S B U R Y

LONDON • OXFORD • NEW YORK • NEW DELHI • SYDNEY

CONTENTS

PREFACE	x
GENERAL INTRODUCTION	1
1 SHIP TYPES AND TERMS	4
Passenger Ships	5
Container Ships (the Modern Cargo Liner Ships)	7
Cargo (Tramp) Ships	11
Roll-On/Roll-Off Vessels	13
Oil Tankers	14
Bulk Carriers	18
Chemical Carriers	20
Liquefied Gas Carriers	21
Superyachts	22
General Notes	23
Ship Terms	24
2 STRESSES IN SHIP STRUCTURES	29
Strength of Ships – Overall Design Concept	29
Longitudinal Bending	30
Still water bending – static loading	30
Wave bending – dynamic loading	34
Transverse Bending and Racking	35
Dry-docking	37
Pounding	39
Panting	39
3 STEEL SECTIONS USED: WELDING AND MATERIALS	40
Ordinary angles	40
Bulb plates	41
Channels	42
Joist or H-bars	42
Tee-bars	43
Flat bars or slabs	43
Aluminium sections	44
Welding	45
Welding Safety	45
General	45
Manual metal arc welding (electric arc welding)	46
Gas welding – eyes	47

Welding Processes	47
Manual metal arc welding	47
Tungsten inert gas and metal inert gas (sometimes referred to as argon arc welding)	49
Types of joint and edge preparation	50
The development of the welded ship	52
Testing of welds	55
Destructive tests	56
Non-destructive tests	56
Faults in welded joints	58
Design of welded structures	59
Materials	61
Mild steel	61
Higher tensile steels	62
Arctic D steel	63
Aluminium alloys	63
The fracturing of steel structures	64
Composites	65
4 BOTTOM AND SIDE FRAMING	66
Double Bottom	66
Internal structure of the hull	68
Duct keel or pipe tunnels	70
Double bottom in the machinery space	72
Side Framing	73
5 SHELL AND DECKS	77
Shell Plating	77
Deck Plating	79
Beams and Deck Girders	80
Hatches	81
6 BULKHEADS AND DEEP TANKS	87
Watertight Bulkheads	87
Watertight Doors	91
Deep Tanks	94
Deep tanks for water ballast or dry cargo only	95
Deep tanks for oil fuel, oil cargo or fresh water	95
Non-watertight Bulkheads	96
Corrugated Bulkheads	96
7 FORE END ARRANGEMENTS	99
Stem	99

Arrangements to Resist Panting	101
Arrangements to Resist Pounding	104
Bulbous Bow	105
Anchor and Cable Arrangements	105
8 AFTER END ARRANGEMENTS	108
Cruiser Stern	109
Sternframe and Rudder	111
Fabricated sternframe with unbalanced rudder	112
Cast steel sternframe with balanced rudder	115
Open water stern with spade rudder	117
Rudder and sternframe for twin screw ship	118
Bossings and spectacle frame for twin screw ship	120
Shaft Tunnel	121
Thrust Improvement	122
Kort Nozzle	123
Fixed nozzle	123
Nozzle rudder	124
Mewis Duct	125
Tail Flaps and Rotating Cylinders	126
Podded Drive	127
9 OIL TANKERS, BULK CARRIERS, LIQUEFIED GAS CARRIERS AND CONTAINER SHIPS	129
Introduction	129
Oil Tankers	130
Longitudinal framing	132
Combined framing	133
General structure	134
Cargo pumping and piping arrangements	136
Deepwell pumping systems	140
Crude oil washing	140
Bulk Carriers	141
Liquefied Gas Carriers	144
Fully pressurised	144
Semi-pressurised/partly refrigerated	144
Semi-pressurised/fully refrigerated	146
Fully refrigerated	146
Safety and environmental control	148
Boil-off	149
Operating procedures	150
Drying	150

Inerting	150
Pre-cooling	150
Loading and discharging	151
Container Ships	151
10 THE LOAD LINE REGULATIONS	154
Freeboard	154
Conditions of assignment	157
Load line surveys	159
Tonnage	159
Early rules	159
Modified tonnage	160
Alternative tonnage	161
Current rules	161
Life-Saving Appliances	163
Fire Protection	165
Definitions	165
Passenger ships	166
Dry cargo ships	167
Oil tankers	167
Classification of Ships	168
Discontinuities	170
11 SHIP DYNAMICS	173
Propellers	173
Fluctuating Forces Caused by the Propeller Wake Field	174
Podded Drive	176
Controllable Pitch Propellers	176
Contra-rotating Propellers	177
Vertical Axis Propellers	178
Tunnel Thrusters (Bow and Stern Thrusters)	179
Rolling and Stabilisation	181
Reduction of Roll	183
Bilge keels	183
Active fin stabilisers	184
Tank stabilisers	186
Passive tanks	186
Controlled passive tanks	187
Active controlled tanks	187
Vibration	188
12 MISCELLANEOUS	191
Insulation of Ships	191

Corrosion	194
Hull Coatings – for Efficiency and for the Prevention of Corrosion	195
Surface preparation	196
New building	196
Surface preparation during dry-docking	197
Coating systems	198
Cathodic protection	198
Impressed current system	200
Design and maintenance	200
Fouling	201
Examination in Dry Dock – Class	202
Emergency Repairs to Structure	204
Engine Casing	205
Funnel	207

SELECTION OF EXAMINATION QUESTIONS – CLASS 2	210
---	------------

SELECTION OF EXAMINATION QUESTIONS – CLASS 1	214
---	------------

INDEX	219
--------------	------------

INDEX

- A-class bulkheads 167
- accommodation 6, **8**, 14, 15, 17, 22, 23, 31, 35, 44, 54, 79, 80, 96, 148, 156, 158, 160, 163, 166, 167, 205, 206
- active controlled tanks 186, 187
- active fin stabilisers 184
- advantages of welding 52
- after end arrangement 108–27
- after peak 7, 11, 66, 88, 101, 104, 109, 121
- alternative tonnage 161
- aluminium alloy 44, 49, 63, 64, 192, 199
 - sections 44
- anchors and cables 105, 169
- angle bar 96
- anodes, sacrificial 198, 200, 202
- arc welding
 - argon 49
 - metallic 45
- Arctic D steel 63, 147
- assignment of class 168–9

- B-class bulkheads 162
- balanced rudder 112
- ballast tanks 18, 198
- beam knees 74, 80
- beams
 - cant 109
 - longitudinal 30, 35, **37**, **80**, 81
 - strong 75, 206
- bending moments 32, 33, 43, 55, 79, 133, 204
 - longitudinal 204
 - transverse 35–6
- bilge
 - blocks 38
 - keels 30, 43, 183, 184
 - radius 26, 27
 - shores 38
- boil-off 149
- bossing, for the propeller shaft 120

- bottom
 - longitudinals **17**, 19, 86, 133
 - shell 16, 27, 32, 33, 36, 62, 66, 69, 70, 77, 78, 86
- bow height 155
- bow thrusters 180
- bracket floor 35, 70
- breadth extreme 24
 - moulded 24
- brine trap 193
- brittle fracture 58, 61, 64, 65
- built pillars 81
- bulb angle 41, 70, 82, 83, 100
 - plate 41, 73, 79, 80, 82, 86, 89, 90, 97, 103, 133
- bulbous bow 104, 105
- bulk carriers 11, 18, 23, 24, 30, 43, 82, 129, 141, 170, 171, 189
- bulkheads 87
 - A and B-class 167
 - centreline 96, 97
 - collision 88, 94, 102–4, 107, 172
 - corrugated 96, 134
 - deep tank 33, 42, 78, 81, 84, 87, 94, 95, 121, 172
 - longitudinal 15, 18, 33, 54, 89, 96, 131, 134, 136, 142, 152, 172
 - non-watertight 87, 96
 - oil tight 43
 - transverse 15, 36, 38, 80, 81, 95–7, 133, 134
 - watertight 87, 89, 94, 121
- bulwark 28, 78, 79, **86**, 158
- buoyancy curve 30
- butt strap 169
 - butt welds 51

- cable
 - gland **90**

- lifter **100**, 106
- stopper **100**, 106
- camber 26, 27, 159
- cant beam/frame 109, 110
- cargo
 - hatches 81–6
 - liner vessel 7
 - piping 148
 - pumps 15, 136–8, 140
 - tramp 12, 13, 81
- casings, engine 205
- cathodic protection 170, 198
- ceiling 68, 159, 169, 192(wood)
- centre girder 33, 37, 38, 59, 67, 68–71, 80, 86, 102, 131, 134
- centreline bulkhead 96, **97**, **146**
- chain locker 7, 12, 100, 105, 107, 160
 - pipes 107
- channel bar 42, 206
- chemical carriers 4, 20
- classification of ships 168 *et seq.*
- classification societies 2, 3, 53, 61, 62, 109, 111, 129 *et seq.* 143, 150, 158, 168 *et seq.* 189
- cofferdams 18, 24
- coffin plate 99, 112, **116**
- colliers 18, 96
 - see* Bulk Carriers 22, 29
- collision bulkhead 24, 88, 94, 100–7, 172
- conditions of assignment 127, 159
- container ships 7, 129, 151
- continuity of structure 136
- contra-rotating propellers 177
- controllable pitch propellers 24, 176
- corrosion 194 *et seq.*
 - bi-metallic 194
 - prevention of 195 *et seq.*
- corrugated bulkheads 96, 134
- crack arrestors 54, 65, 169
- crane 13, 35, 206, 207
- crew spaces 6, **8**, 14, 23
 - (under MLC 2006) 6
- crude oil washing 130, 140
- cruiser stern 109 *et seq.*
- davits 163
- deadweight 28, 64, 81, 86, 130, 142
- deck
 - beams 102
 - camber 27
 - girders 19, 80
 - line 138, 157
 - longitudinal 88, 90, **131**
 - machinery 81
 - plating 35, 79, 135, 151, 154, 171, 200
- deep tanks 42, 81–96, 121, 169
 - for oil 95, 96, 142
 - for water ballast 95, 143, 160
- depth
 - extreme 26
 - moulded 26
 - tonnage 159
- design and maintenance 200
 - design of welded structure 59
- destructive testing 53, 55
- de-wedging device 92
- dimensions 54, 86
- discontinuities 58, 170, 171
- displacement 27, 28, 62, 63, 157, 177, 187
- docking brackets 38, 68, 134
 - Dry-docking precautions 37
- doors
 - hinged 79, 94, 107
 - unmanned machinery space 205
 - watertight 90, 91, 94, 122, 208
- double bottom 66 *et seq.*
 - in machinery space 9, 11, 15, 23, 33, 35, 72–5, 81
 - internal structure 22, 29
- drainage of insulated spaces 193
- draught
 - extreme 26
 - moulded 26
- Dry dock, examination in 202
 - support of ship in 20
- duct keel 70, 72

- edge preparation 50, 51, 58
- electrodes 49, 56, 63
- electrolytic action 199
- emergency repairs 204
- end connections of longitudinals 69
- Engine room
 - casing 96, 205 *et seq.*
 - crane 206
- equipment, class notification 168
- examination in dry dock 202
- examination Questions
 - Chief Engineer 214 *et seq.*
 - Second Engineer 210 *et seq.*
- extra notch-tough steel 54, 65, 130
- fabricated sternframe 111
- faults in welded joints 33
- fillet welds 29
- fin stabiliser 151
- fire protection 132 *et seq.*
- flame cleaning 163
- flat plate keel 18, 49
- floors, bracket 43
 - solid 42
 - watertight 41
- fore end construction 100
 - peak 105, 172
- forecastle 13, 15, 31, 107, 155
- fouling 196, 201 *et seq.*
- frames
 - main 86, 102, 124
 - side 35–8, 78, 80, 95, 102, 110, 131–3
 - tween deck 11, 13, 73, 81, 86, 89, 96, 160, 166, 171, 193
 - web 75, 76, 109, 205, 206
- framing
 - combined 131–3
 - longitudinal 30, 69, 71, 131–4, 142, 152, 169, 171, 172
 - transverse 30, 69, 70, 171, 172
- freeboard 26, 78, 89, 154 *et seq.*
 - conditions of assignment 157, 159
 - markings 157
- surveys 159
 - tabular 155, 156
- freeing ports 79, 158
- fresh water allowance 157
- fully pressurised tanks 144, 146
- fully refrigerated tanks 146
- funnel 207
- gangway, longitudinal 158
- garboard strake 77
- gas venting system 139
- girders
 - centre 68, 134
 - deck 80, 88, 95, 96
 - horizontal 97
 - intercostal 69, **100**
 - side 33, 68–70, 104, 153
- grades of steel 61, 63
- gravity davit 163, 164
- gross tonnage 28, 159–2
- gudgeons 112, 114, 203
- hatches 13, 15, 18, 55, 81 *et seq.* 139, 151
 - et seq.* 161
 - coamings 17, 19, 24, 54, 80, 82 *et seq.*
 - covers 11, 13, . 92 *et seq.* 152, 156, 158, 193
 - deep tank 84, 85
 - oil tight 135
- hatches
 - steel 56
 - watertight 57
 - webs 55
- hawse pipes 106
- heating coils 139
- higher tensile steel 62, 152
- hogging 32 *et seq.*
- holding down bolts 72, 73, 106
- holds, cargo 33, 84, 95, 121, 143
- hopper tanks 143
- hydraulic thrust unit 181, 182
- impressed current system 200
- inerting 150

- inner bottom 17, 19, 86, 153
- insulation, of ships 130, 191
- insulated hatch plug 193
- insulation 42, 71, 74, 80, 144–8, 166, 191 *et seq.*
 - fire 165–6
- intercostal girders 69
- intermittent welding 52
- internal structure of double bottom 18, 19, 66
- in-water survey 170, 202
- joint, types of 50 *et seq.*
- joists 206
- keel
 - bilge 30, 43, 183
 - blocks 37–9, 71
 - duct 38
- Kort nozzle 123 *et seq.*
- length between perpendiculars 24
 - overall 24, 25
 - tonnage 159, 161
- life-saving appliances 163 *et seq.*
- lifeboats 6, 64, 163–6
- life rafts 163, 165
- lightening holes 68, 69, 102
- lightweight 28
- liquefied gas carrier 21, 129 *et seq.*
- prismatic tank system 115
- spherical tank system 21
- Lloyd's Register of Shipping 134 *et seq.* 144
- load diagram 31
- Load Line Rules 82, 155, 157, 160
- longitudinal beams 30, 80, 81
 - bending 30 *et seq.* 71, 89, 204
 - bulkhead 89, 96, 131 *et seq.* 142, 152, 172
 - frames 38, 70
 - gangway 158
 - material 33, 34, 81, 204
 - strength 62, 77–81, 132, 133, 135, 136, 152
- machinery casings 80, 81
 - space 9–10, 13, 15, 18, 20, 23, 33, 35, 65, 72, 73, 75, 79, 81, 88, 94, 121, 122, 136, 139, 140, 166, 167, 170, 189, 205
 - space tonnage 170
- magnetic crack detection 57
- main vertical zones 166
- maintenance 200 *et seq.*
- manhole cover 67
- margin plate 68, 69 *et seq.*
- material, longitudinal 34, 81
 - non-combustible 165 *et seq.*
 - transverse 35
- materials 61 *et seq.*
 - Aluminium alloys 63
 - Arctic D steel 63
 - Higher tensile steel 62
 - Mild steel 61
- membrane tanks 147
- metallic arc welding 45
- midship section 17, 32, 86
 - bulk carrier 18–19
 - cargo vessel 59
 - chemical carrier 20
 - container ship 7, 8, 151–3
 - cylindrical tank system 145
 - liquefied gas carrier 21–2, 144–51
 - oil tanker 5, 99, 100
 - ore carrier 6, 110
 - showing general terms 26
- mild steel 61
- mill scale, removal of 206, 207
- modified tonnage 160
- net tonnage 28, 160–2
- non-combustible material 165, 166
- non-destructive testing 53
- non-watertight bulkheads 96
- notch-tough steel 54, 65, 130
- nozzle, Kort 123
- oil fuel tanks 95
- oil tankers 11, 14, 23, 129, 130, 167

- combined framing 133, 141–4
- longitudinal framing 132
- oil tight bulkhead 43, 135
 - hatch 135
- open water stern 117,
- ore carriers 17, 19, 142, 169
- overlap joint 51

- painting 197
- panting 39, 101
 - arrangements 101–4
- passenger ships 4 *et seq.* 54, 64, 84, 166
 - fire protection 165, 166
- passive tanks 186
- peak tanks 7, 8, 11, 66, 68, 169
- pickling 196
- pillars 35, 42, 44, 75, 205
- pintles 114, 203
- pipng, main cargo 136
- plating, deck 35, 79, 135
 - shell 17, 18, 39, 52, 62, 77 *et seq.*
 - stem 105
- pounding 39, 55, 104
 - arrangements 104, 158
 - Prismatic tanks 147
- profile
 - bulk carrier 18
 - cargo liner 7
 - cargo tramp 12, 13
 - container ship 7
 - liquefied gas carrier 21
 - oil tanker 14
 - roll-on/roll-off vessel 13
 - showing dimensions 11
- propeller, examination of 170, 203
- propellers 173 *et seq.*
 - contra-rotating 177
 - controllable pitch 176
 - vertical axis 178
- propelling power allowance 160
- protection, cathodic 180
 - fire 165 *et seq.*
- pump rooms 15 *et seq.*

- pumping arrangements of oil tankers 136
- pumps, cargo 24, 136
 - stripping 104

- racking
- radiographic testing of welds 32
- rails, crane 172
- raised quarter deck 8
- reduction of roll 150 *et seq.*
- refrigerated vessels 2
 - insulation of 158
- repair 169
- rise of floor 14
- rolled steel sections 23 *et seq.*
- rolling and stabilisation 149 *et seq.*
- roll-on/Roll-off vessels 9
- rotating cylinders 97
- round of beam
 - see* camber, 13
- rounded gunwale 18
- rudder carrier 87
- rudders 83 *et seq.*
 - balanced 88
 - Kort nozzle 96
 - semi-balanced 91
 - spade 90
 - unbalanced 84

- sacrificial anodes 198, 200, 202
- sagging 32–4
- scantlings 2, 17, 67, 86, 121, 152, 169, 170, 208
- scuppers 80, 158
- seating, winch 53
- sections
 - aluminium 44
 - steel 40 *et seq.*
- self polishing copolymers 201
- self trimming collier 18
- semi-pressurised tanks 144, 146
- settling tanks 9
- shaft
 - Stools 122
 - tunnel 11, 121 *et seq.*

- sheathing, deck 121, 199
- sheer 14
- sheerstrake 33, 77–82, 152, 171
- shell plating 12, 30, 35–9, 77 *et seq.* 87, 99, 103–6, 119, 184, 202
- ship types 4 *et seq.*
- shot blasting 197
- side
 - framing 66, 73 *et seq.*
 - girders 33, 68, 104, 153
 - shell 16–18, 27, 33, 36, 38, 73, 77, 88, 112
 - shores 38, 39
- solid floors 66, 69, 70, 102, 104, 109, 110, 143
- solid pillars 81
- spade rudder 117
- spectacle frame 120, 175, 203
- sprinkler system 166
- stays, funnel 208
- steel
 - bar 199
 - construction 40
 - extra notch-tough 65
 - hatch covers 11, 83, 156, 193
 - sections 40
 - stem
 - plating 200
- stem
 - cruiser 109 *et seq.*
 - transom 110
- stern
 - fabricated 112
 - frame 44, 117
 - open water 117
 - twin screws 118
- stiffeners, bulkhead 54, 89 *et seq.*
- still water bending 30
- strength
 - longitudinal 62, 77 *et seq.* 133–6
 - transverse 88, 97, 158
- stresses 29
- stringer plate 33, 79, 97, 171
- stripping pumps 136
- strong beams 75, 206
- superstructure, aluminium 64
- superyachts 22, 61
- surface preparation 196 *et seq.*
- surveys
 - Annual 18
 - in-water 180
 - special 18
- swedged bulkheads 205
- tabular freeboard 155, 156
- tail flaps 126
- tail shaft wear down 203
- tank
 - deep 78, 81, 94 *et seq.*
 - double bottom 9, 18, 20, 66 *et seq.* 169, 203
 - margin 33, 68, 73
 - peak 169
 - side brackets 73, 75
 - stabiliser 186
 - testing of 169
 - top 7, 31, 33 *et seq.*
- tankers
 - see oil tankers*, 14, 129, 167
- tee bars 43
- terms in general use 4, 24
- testing
 - destructive 56
 - non-destructive 56
 - of tanks 90, 169
 - of welds 57 *et seq.*
- Tonnage
 - 1967 Rules 161
 - 1982 Rules 161
 - alternative 161
 - deductions 155, 156, 160
 - enclosed spaces 159, 161
 - gross 28, 159 *et seq.*
 - mark 157, 160 *et seq.*
 - modified 160
 - net 28, 160 *et seq.*
 - underdeck 159, 160
 - torsion boxes 152

- transom floor 110, 112, 116, 117, 119
 - stern 110, 111
- transverse bending 35
 - bulkheads 15, 36, 80, 81, 95–7, 133, 134
 - framing 30, 69, 70, 171, 172
- transverse material 35
 - strength 88, 97, 158
 - webs 132, 142, 152
- tumble home 26, 27
- tunnel, shaft 121
- types of ships 4–22
- Type-A ship 155
- Type-B ship 156

- ultrasonic testing of welds 53
- unbalanced rudder 112
- underdeck tonnage 159 *et seq.*
- uptakes, funnel 209

- vertical axis propellers 178
- vibration 188

- water ballast tanks 198
- water pressure 35, 46, 49, 78, 89, 90, 95, 105, 121
- watertight bulkheads 87
 - doors 91
- wave bending 34
- weathering 196
- web frames 75, 205
- weight curve 31
- welded joints
 - plate collars 85
- welding, advantages and disadvantages of 52
- welding
 - argon arc 49
 - faults 58
 - metallic arc 45
 - testing
- wood sparring 75

- X-rays 57